

Rotary Table Size	TUBULAR GOODS OUTSIDE DIAMETER	2.3/8"-8.5/8" Insert bowl No.3	9.5/8" - 10.3/4" Insert bowl No.2	11.3/4" - 13.3/8" Insert bowl No.1	16"	18.5/8" - 20"	22" - 23"	24-1/2" - 24	26"	30"	
SLIP TYPE		Slip type to be selected from tables in this book or from the Rotary and Handling Tools Catalog									
BUSHING TYPE											
37.1/2"	CB* SPLIT BODY 500 sTon	n/a	 NAT. CB 10187 w/ INSERT BOWL No. 2 6114 OIL. CB 10188 w/ INSERT BOWL No. 2 6114 EMS. CB 10190 w/ INSERT BOWL No. 2 6114 IDE. CB 10189 w/ INSERT BOWL No. 2 6114	 NAT. CB 10187 w/ INSERT BOWL No. 1 6126 OIL. CB 10188 w/ INSERT BOWL No. 1 6126 EMS. CB 10190 w/ INSERT BOWL No. 1 6126 IDE. CB 10189 w/ INSERT BOWL No. 1 6126	 NAT. CB 10187 w/ BOWL 20 x 16 6127 OIL. CB 10188 w/ BOWL 20 x 16 6127 EMS. CB 10190 w/ BOWL 20 x 16 6127 IDE. CB 10189 w/ BOWL 20 x 16 6127	 NAT. CB 10187 OIL. CB 10188 EMS. CB 10190 ENS. CB 11553 IDE. CB 10189	 NAT. CB 11252 EMS. CB 11252-22	 NAT. CB 11253 OIL. CB 6170 EMS. CB 16542 IDE. CB 74814	 NAT. CB 16454 OIL. CB 6170-26 EMS. CB 89183-1 IDE. CB 74814-26	 NAT. CB V11763 OIL. CB 12093 EMS. CB 11633 IDE. CB 12092	
37.1/2"	MPCH* HINGED BODY PIN DRIVE 750 sTon	 MPCH* w/ No. 3 INSERT BOWL 6608	 MPCH* w/ No. 2 INSERT BOWL 6609	 MPCH* w/ INSERT BOWL 6610	n/a	n/a	X	X	X	X	
27.1/2"	MSPC* SOLID BODY PIN DRIVE 750 sTon	 MSPC* w/ No. 3 INSERT BOWL 1810	 MSPC* w/ No. 2 INSERT BOWL 1904	 MSPC* w/ INSERT BOWL 1903	n/a	n/a					
27.1/2"	CUL SOLID BODY 500 sTon	 CUL 3103 w/ No. 3 INSERT BOWL 1809	 CUL 3103 w/ No. 2 INSERT BOWL 1902	 CUL 3103 w/ No. 1 INSERT BOWL 3105	 CUL 3103 w/ BOWL 20 x 16 3104	 CUL 3103					
27.1/2"	CB SPLIT BODY 500 sTon	n/a	 CB 6695 w/ No. 2 INSERT BOWL 6114	 CB 6695 w/ No. 1 INSERT BOWL 6126	 CB 6695 w/ BOWL 20 x 16 6127	 CB 6695					
27.1/2"	MSP* SPLIT PIN DRIVE 500 sTon	 MSP 5429*	n/a	n/a	n/a	n/a					

Not per API 7K

CASING OUTSIDE DIAMETER →

Spider Size & P/N ↓	16"	18-5/8"	20"	22-1/2"	24"	26"	30"	33"	36"
30" 7704-A-161	UC-3 slip 7704-5035 Bushing 7704-A-165 Retainers 50012-148-8	UC-3 slip 7704-5035 Bushing 7704-A-164 Retainers 50012-50-8	UC-3 slip 7704-5034 Bushing 7704-A-164 Retainers 50012-50-8	UC-3 slip 7704-5002 Bushing 7704-A-163 Retainers 50012-38-C8	UC-3 slip 7704-5001 Bushing 7704-A-163 Retainers 50012-38-C8	UC-3 slip 7704-5006 Bushing 7704-A-162 Retainers 50012-26-C8	UC-3 slip 7704-5006 Use 30" Spider		
36" 7704-A-167		UC-3 slip 7704-5035 Bushing 7704-A-172 Retainers 50012-76-8	UC-3 slip 7704-5034 Bushing 7704-A-172 Retainers 50012-76-8	UC-3 slip 7704-5002 Bushing 7704-A-171 Retainers 900041-441	UC-3 slip 7704-5001 Bushing 7704-A-171 Retainers 900041-441	UC-3 slip 7704-5006 Bushing 7704-A-170 Retainers 900042-186	UC-3 slip 7704-5005 Bushing 7704-A-169 Retainers 50012-32-C8	UC-3 slip 7704-5008 Bushing 7704-A-168 Retainers 50012-20-C8	UC-3 slip 7704-5007 Use 36" Spider

42"

42"
7704-A-179

UC-3 slip
7704-5007
Bushing
7704-A-180
Retainers
900042-708

CMS-500
16647418-008
Bushing
17456849-001












UC-3 slip
7704-5019
Bushing
7704-A-178
Retainers
50012-36-C8

According to API 7K latest edition

CASING OUTSIDE DIAMETER →

Spider Size & P/N ↓	16"	18"	18-5/8"	20"	22"	23"	24"	24.1/2	26"	28"	30"	33"	36"
30" 11342732-001	CMS-500 16647418-007 Bushing 17454638-001	CMS-500 16647418-008 Bushing 17454830-001	CMS-500 16647418-009 Bushing 17454830-001	CMS-500 16647418-010 Bushing 17454830-001	CMS-500 16647418-019 Bushing 17455250-001	CMS-500 16647418-020 Bushing 17455250-001	CMS-500 16647418-011 CP-400 16647421-001 Bushing 17455250-001	CMS-500 16647418-021 Bushing 17455250-001	CMS-500 16647418-012 CP-450 16647421-002 Bushing 17455255-001	CMS-500 16647418-022 CP-500 16647421-006 Use 30" Spider	CMS-500 16647418-013 CP-500 16647421-003 Use 30" Spider		
36" 11361344-001		CMS-500 16647418-008 Bushing 17456849-001	CMS-500 16647418-009 Bushing 17456849-001	CMS-500 16647418-010 Bushing 17456849-001	CMS-500 16647418-019 Bushing 17456723-001	CMS-500 16647418-020 Bushing 17456723-001	CMS-500 16647418-011 CP-400 16647418-011 Bushing 17456723-001	CMS-500 16647418-021 Bushing 17456723-001	CMS-500 16647418-012 CP-450 16647421-002 Bushing 17456720-001	CMS-500 16647418-022 CP-500 16647421-006 Bushing 17456155-001	CMS-500 16647418-013 CP-500 16647421-003 17456153-001	CP-500 16647421-004 Bushing 17456153-001	CP-500 16647421-005 Use 36" Spider

Use 42" Spider

Rotary Table Size	TUBULAR GOODS OUTSIDE DIAMETER	5.7/8"	6.5/8" + 6.906"	2.3/8"-7.5/8" Insert bowl No.3	9.5/8"-10.3/4" Insert bowl No.2	11.3/4"-13.3/8" Insert bowl No.1	16"	18.5/8"+ 20"	22"	24"							
BUSHING TYPE		Suitable for RHS, SDS, SDML, SDXL & SDHL Rotary Slips w/ standard API taper			Suitable for CMS-XL, DCS & CP-S Casing Slips												
49.1/2"	MBH1250	 <p>MBH pn 50005900-** ** = Configuration</p>		750 sTon			750 sTon			1,000 sTon		1,000 sTon		1,000 sTon		1,000 sTon	
				 <p>MBH & Bowl #3 pn 50005912</p>	 <p>MBH & Bowl #2 pn 50005911</p>	 <p>MBH & Bowl #1 pn 50005910</p>	 <p>Casing bushing 16" pn 50005908*</p>	 <p>Casing bushing 20" pn 50005907*</p>	 <p>Casing bushing 22" pn 50005906*</p>	 <p>Casing bushing 24" pn 50005905*</p>							
49.1/2"	MBH + LSB1250 Dressed w/1250 sT bushing	 <p>MBH pn 50005900** ** = Configuration</p>		1,000 sTon	1,250 sTon												
				 <p>MBH w/ LSB 50005940 & bushing 50005940-578</p>	 <p>MBH w/ LSB 50005940 & bushing 50005940-658</p>												

*Dimensions to be verified upon ordering